JK562E-01CB



Direct drive flat lock sewing machine

JOCKY°







Features

- 1. Direct drive flat bed interlock sewing machine, be suitable for big area fabric sewing, sew decoration stitches on both surface of fabric, and sew many kinds of decoration.
- 2. Adopt to small size servo motor instead of traditional strap, can start to work or stop quickly, shorten transmission route, upgrade the precision.
- 3. Upgrade the production efficiency, reduce any malfunction to minimum during sewing, in order to sew top quality stitches.



MORE INFORMATION

Technical Specification

Model	JK562E-01CB
Control System	Servo Motor Control
Condition	Brand new and latest version
Display Type	Digital Display
Display Size	90mmX55mm
Stitch Formation	Interlock
Max. speed	5,500 spm
Max Stitch Length	5mm
Max. Sewing Thickness	4mm
Needle Number	UY128GAS 11#
Needle quantity	3(2)
Thread quantity	5(4)

Lubrication	Automatic
The lift of Pressure foot	By hand 5.5 mm /By knee 13 mm
Bed size	450X150mm or Standard
Power supply	AC220V±10%, 50Hz
Power consumption	550W (Maximum)
Packing Dimension	670x465x660mm
Weight(G.W/N.W)	58/55kgs

浙江劲悦机械科技有限公司

ZHEJIANG JOCKY MACHINERY TECHNOLOGY CO., LTD.