

JK1008-311-9T

JOCKY

Automatic laser pocket welting machine
Folds while walking without picky fabrics



Intelligent operation system



Laser cutting device



Middle pressure foot



Separated inside and outside press frame



Stereoscopic button



One key drawing function

Features

1. This machine sets automatic folding, laser bag opening and knot sewing in one, suitable for all kinds of real and fake pocket, single-layer pocket, double lips pocket, zipper pocket, side pocket etc.
2. Improve cutting speed with 150W laser cutting technology.
3. The design of walking and folding makes it complete the folding work at the same time of taking materials, and the efficiency is increased by 30%, which greatly reduces the production stagnation time and significantly improves the overall production capacity.
4. The separated inside and outside press frame can be adjusted independently for different thickness of fabric, ensuring an efficient and accurate production process.
5. The adjustable mold gives the equipment a high degree of flexibility and can be freely adjusted according to demand, greatly reducing the mold change time and cost.
6. The medium pressure foot equipped with it can effectively prevent the common problems such as broken wires, broken pins, and skipping pins, further enhancing the stability of the equipment.

Pocket process

- A. Laying out the pocket fabric
- B. Laying out the zipper and bag lip
- C. Lay out the main fabric
- D. Laser cutting
- E. Folding the fabric
- F. Sewing and pressing a clear line
- G. Making a loop

Pocket type

双袋唇带拉链一次缝

DOUBLE POCKET LIP ZIPPER ONE-TIME SEWING



双袋唇假袋一次缝

DOUBLE POCKET LIPS WITH FALSE POCKETS SEWN IN ONE PROCESS



单拉链一次缝

SINGLE ZIPPER ONE-TIME SEWING



单袋唇不带拉链二次缝

SINGLE POCKET LIPS WITHOUT ZIPPERS SEWN IN TWO PROCESS



单袋唇带拉链二次缝

SINGLE POCKET LIP ZIPPER TWO-TIME SEWING



带拉链盖一次缝

ZIPPER COVER ONE-TIME SEWING



圆角袋带拉链一次缝

ROUND CORNER POCKET ZIPPER ONE-TIME SEWING



60°斜角带拉链二次缝

60° DIAGONAL WITH ZIPPER DOUBLE STITCHING



三边口袋一次缝

THREE SIDE POCKETS SINGLE STITCHING



POLO衫门襟

POLO SHIRT PLACKET



Craft display

Suitable for all kinds of fabrics, avoid changing mold frequently.

Reduce mold changing time and improve production efficiency.

The finishing time for one pocket:

Single needle sewing: 30 seconds per piece

Double needle sewing: 20 seconds per piece

Output per hour:


Single needle sewing: 180 pieces

Double needle sewing: 120 pieces


Craft display



夹克
JACKET



冲锋衣
OUTDOOR JACKET



针织
KNITTED



梭织
TATTING



牛仔
DENIM



防晒服
SUN-PROOF CLOTHING



毛衣
SWEATER



摇粒绒
POLAR FLEECE



双面弹
DOUBLE-SIDED STRETCH FABRI



四面弹
FOUR-WAY STRETCH PANTS



棉衣
COTTON-PADDED JACKET



羽绒
DOWN FEATHER

MORE INFORMATION

Technical Specification

Model	JK1008T-311-9T
Head type	Pattern machine head
Max. speed	2800rpm
Speed setting	200-2800rpm
Needle size	DPx17/ MT-90
Stitch length	0.1-12mm
Sewing range	X: 40-220mm Y: 7-35mm
Medium-press foot follower	1.5-8mm
Medium-press foot lift	25mm
Outer/inner frame lift	30/40mm
Max. number of stitches	10000 stitches per pattern
Lubrication system	Micro-oil
Power	1500W 220V 50Hz
Machine size	1820x1210x1460mm
Packing size	1910x1350x1650mm
Weight(G.W/N.W)	900/110kgs